**Amendments to the Claims**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1      1.     (currently amended) A system for executing ~~user navigational~~
2   events triggered through geolocational data describing zones ~~of influence~~, the
3   system comprising:
4       a storage medium configured to hold data in a cartridge script loadable
5   into a wireless computing device, wherein the data comprises:
6          zone ~~of influence~~ data configured to define one or more zones ~~of~~
7   ~~influence~~ into the cartridge script by describing a plurality of points of static
8   geolocational data; and
9          [[user]] event data configured to define one or more ~~user~~
10  ~~navigational~~ location events into the cartridge script and to associate each ~~user~~
11  ~~navigational~~ location event with at least one zone ~~of influence~~; and
12      the wireless computing device configured to execute a scenario by
13  triggering the ~~user navigational~~ location events stored on the cartridge script
14  through movement of the wireless computing device, the wireless computing
15  device comprising:
16        a locational module configured to continuously self-identify a
17  location of the wireless computing device based on dynamic geolocational data
18  determined in response to the movement; and
19        a processing module configured to determine a correlation between
20  the dynamic geolocational data and the static geolocational data for one or more
21  of the zones ~~of influence~~, and to ~~locally~~ trigger the ~~user navigational~~ location
22  event associated with the zone ~~of influence~~ based on the correlation.

1      2.     (currently amended) A system according to Claim 1, system
2   further comprising:

3       further data in the cartridge script loaded in the wireless computing device

4    comprising timed event data configured to specify one or more timed events <u>each</u>

5    comprising a start time and a duration ~~and to associate each timed event with at~~

6    ~~least one user navigational event~~; and

7       the wireless computing device further comprising:

8          a timer module configured to measure an elapsed time beginning

9    with the start time of each timed event;

10          an evaluation module configured to determine when the elapsed

11    time substantially equals the duration of one or more of the timed events, and to

12    ~~locally~~ trigger ~~each user navigational event associated with~~ the timed event.

1       3.    (currently amended) A system according to Claim 1, the system

2    further comprising:

3       further data in the cartridge script loaded in the wireless computing device

4    <u>comprising independent events each</u> comprising one or more independent trigger

5    conditions~~, wherein each independent trigger condition is configured to be~~

6    ~~associated with at least one user navigational event~~; and

7       the wireless computing device further comprising:

8          an evaluation module configured to determine ~~trigger condition~~

9    satisfaction of one or more of the independent trigger conditions, and to ~~locally~~

10    trigger ~~each user navigational~~ <u>the independent</u> event associated with the <u>satisfied</u>

11    independent trigger ~~conditions based on the trigger condition satisfaction~~

12    <u>condition</u>.

1       4.    (currently amended) A system according to Claim 1, wherein the

2    zone ~~of influence~~ data is configured to define each zone ~~of influence~~ as discrete,

3    adjoining, overlapping, and nested relative to at least one other zone ~~of influence~~

4    in the zone ~~of influence~~ data.

1       5.    (currently amended) A system according to Claim 1, wherein the

2    zone ~~of influence~~ data is configured to define at least one zone ~~of influence~~ in the

3     zone ~~of influence~~ data as inheriting at least one ~~user navigational~~ location event

4     from one or more other of the zones ~~of influence~~ in the zone ~~of influence~~ data.

1        6.    (withdrawn) A method for executing user navigational events

2     triggered through geolocational data, comprising:

3       storing data, comprising:

4         defining one or more zones of influence and wherein each zone of

5     influence is described by a plurality of stored geolocational data;

6         defining one or more user events; and

7         associating one or more of the user events with each zone of

8     influence, wherein each user event specifies a trigger condition based on the

9     stored geolocational data for the associated zone of influence; and

10      executing the cartridge, comprising:

11        self-identifying a location of the user device based on further

12    geolocational data; and

13       locally triggering at least one user event on the cartridge when the

14    further geolocational data substantially correlates to the stored geolocational data

15    for the zone of influence associated with the trigger condition of the at least one

16    user event.

1        7.    (withdrawn) A method according to Claim 6, further comprising:

2       specifying one or more timed events by a start time and a duration; and

3       associating the one or more timed events with one or more of the user

4     events; and

5       measuring an elapsed time from the start time of each timed event; and

6       triggering at least one user event when the elapsed time substantially

7     equals the duration of one such timed event.

1        8.    (withdrawn) A method according to Claim 6, further comprising:

2       specifying one or more independent trigger conditions;

3       associating one or more of the user events with each independent trigger

4     condition; and

5        triggering at least one user event upon satisfaction of at least one

6    independent trigger condition.

1        9.    (withdrawn) A method according to Claim 6, further comprising:

2        defining each zone of influence as discrete, adjoining, overlapping, and

3    nested relative to at least one other zone of influence.

1        10.    (withdrawn) A method according to Claim 6, further comprising:

2        defining at least one zone of influence as inheriting at least one user events

3    from one or more other of the zones of influence.

1        11.    (withdrawn) A computer-readable storage medium holding code

2    for performing the method according to Claim 6.

1        12.    (withdrawn) A system for building a user-customized cartridge for

2    use with a wireless computing device, comprising:

3        a toolkit to build a template of a cartridge based on user instructions,

4    comprising:

5            a zone interface to define one or more zones of influence that are

6    each described by a plurality of stored data;

7            an event interface to define a series of events triggered by at least

8    one of temporal, locational and independent trigger conditions and associating

9    each event with one such zone of influence; and

10        a compiler to compile the cartridge template into a cartridge script

11    configured to be downloaded and autonomously executed on a wireless

12    computing device.

1        13.    (withdrawn) A system according to Claim 12, further comprising:

2        a server to download the cartridge script onto a wireless computing device.

1        14.    (withdrawn) A system according to Claim 12, wherein at least one

2    zone of influence can be defined to inherit at least one event from one or more

3    other zone of influence.

1    15.    (withdrawn) A system according to Claim 12, wherein one or more
2    of the zones of influence specify at least one of a starting location and an ending
3    location.

1    16.    (withdrawn) A system according to Claim 12, wherein the trigger
2    conditions are selected from the group comprising movement, direction, speed,
3    acceleration, tactile effects, sound effects, and visual effects.

1    17.    (withdrawn) A system according to Claim 12, wherein the
2    cartridge script is configured to be executed on a plurality of collaborating
3    wireless gaming devices.

1    18.    (withdrawn) A system according to Claim 12, wherein the
2    cartridge script is configured to manipulate an item between a plurality of
3    collaborating wireless gaming devices.

1    19.    (withdrawn) A method for building a user-customized cartridge for
2    use with a wireless computing device, comprising:
3        building a template of a cartridge based on user instructions, comprising:
4            defining one or more zones of influence that are each described by
5    a plurality of stored geolocational data;
6            defining a series of events triggered by at least one of temporal,
7    locational and independent trigger conditions and associating each event with one
8    such zone of influence; and
9        compiling the cartridge template into a cartridge script configured to be
10   downloaded and autonomously executed on a wireless computing device.

1    20.    (withdrawn) A method according to Claim 19, further comprising:
2        downloading the cartridge script onto a wireless computing device.

1    21.    (withdrawn) A method according to Claim 19, further comprising:
2        defining at least one zone of influence to inherit at least one event from
3    one or more other zone of influence.

- 6 -

1    22.    (withdrawn) A method according to Claim 19, wherein one or
2  more of the zones of influence specify at least one of a starting location and an
3  ending location.

1    23.    (withdrawn) A method according to Claim 19, wherein the trigger
2  conditions are selected from the group comprising movement, direction, speed,
3  acceleration, tactile effects, sound effects, and visual effects.

1    24.    (withdrawn) A method according to Claim 19, wherein the
2  cartridge script is configured to be executed on a plurality of collaborating
3  wireless gaming devices.

1    25.    (withdrawn) A method according to Claim 19, wherein the
2  cartridge script is configured to manipulate an item between a plurality of
3  collaborating wireless gaming devices.

1    26.    (withdrawn) A computer-readable storage medium holding code
2  for performing the method according to Claim 19.